



Harnessing > Interconnect Devices > SolderSleeve Shield Terminators



Product Type: **Shield Terminator**  
Operating Temperature (Max): **150 °C**  
Expanded Inside Diameter (Min): **7.1 mm [ .279 in ]**  
Recovered Inside Diameter (Max): **3.5 mm [ .138 in ]**  
Pre-Installed Lead: **No**

Features

Product Type Features

Splice Type	SolderSleeve
Product Type	Shield Terminator

Configuration Features

Pre-Installed Lead	No
--------------------	----

Termination Features

Termination Method	Solder
--------------------	--------

Dimensions

Overall Length	30 mm[1.181 in]
Expanded Inside Diameter (Min)	7.1 mm[.279 in]
Recovered Inside Diameter (Max)	3.5 mm[.138 in]

Usage Conditions

Operating Temperature (Max)	150 °C
Resistance Properties	Splash Protection
Wire Temperature (Max)	125 °C

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
------------------------------	---------------



EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Model / Part # CJ2087-000  
[HL2010E-KIT-120V](#)

Customers Also Bought



TE Model / Part #650947-000  
[B-013-80](#)




TE Model / Part #963665-000  
[B-013-81](#)



TE Model / Part #YDTS26Z15-97ANV001  
[PLUG ASSY](#)



TE Model / Part #EK7341-000  
[382S028-25C-0](#)



TE Model / Part #103350-1  
16 LEVEL V COVER .125CL



TE Model / Part #225792-1  
ARINC SKT SIZE 3



TE Model / Part #ZPF000000000005183  
910 KS 16-0



TE Model / Part #392967-000  
B-013-82



TE Model / Part #YDTS26Z15-  
97BNV001  
PLUG ASSY



TE Model / Part #YDTS26Z17-  
35AAV001  
PLUG ASSY

Documents

Product Drawings

B-013-83

English

Datasheets & Catalog Pages

Raychem Electrical Interconnect Products

English

Product Specifications

Installation Procedure for Standard SolderSleeve Shield Terminators

English