

## **Insulation Strippers**

- 11
- > for single, multiple and fine stranded conductors with plastic or rubber insulation max. 5.0 mm dia. or resp. 10 mm<sup>2</sup> cable cross section
- > easy adjustment to the required diameter of solid or stranded wire with knurled screw and lock nut
- > Special tool steel, forged, oil-hardened







	EAN	4					Stripping capacities			7,7
Article No.	4003773-	mm		Pliers	Head	Handles	Ømm	mm <sup>2</sup>	AWG	g
11 01 160	013556	160	MM	black atramentized	polished	plastic coated	5.0	10	7	131
11 02 160	023180	160	MM	black atramentized	polished	with multi-component grips	5.0	10	7	165
11 05 160	039570	160	MM	chrome plated		with multi-component grips	5.0	10	7	157
11 06 160	021933	160	<u>A</u> 1000 V A A A A A A A A A A A A A A A A A	chrome plated		insulated with multi-component grips, VDE-tested	5.0	10	7	166
11 07 160	015499	160	<b>≙</b> 1000 V <b>△ ♣ ∧</b> ∧ ∧	chrome plated		with dipped insulation, VDE-tested	5.0	10	7	180
11 12 160	034964	160		black atramentized	polished	with multi-component grips	5.0	10	7	156
11 17 160	015505	160	<b>≙</b> 1000 V <b>△</b>	chrome plated		with dipped insulation, VDE-tested	5.0	10	7	181

## **Electronics Wire Stripping Shears**







- > for cutting and stripping single, multiple and fine-stranded conductors with up to 0.75 mm<sup>2</sup> cable cross-section
- > easy adjustment to the required diameter of solid or stranded wire with knurled screw and lock nut
- > with opening spring
- > Special tool steel, oil-hardened



Article No.	EAN 4003773-	<b>←→</b> mm		Head	Handles	Stripping capacities mm <sup>2</sup>	ΔΔ g
11 82 130	071648	130	<b></b>	polished	with multi-component grips	0.01 - 0.75	75