

## FASTON | FASTON 250

TE Internal #: 62057-8

FASTON 250, Quick Disconnects, Receptacle, 12 – 10 AWG, 3.31 –

5.26 mm², Mating Tab Width 6.35 mm [.25 in], Mating Tab

Thickness .81 mm [.032 in]

View on TE.com >



Terminals & Splices > Quick Disconnects











Terminal & Splice Type: Receptacle

Wire Size: 3.31 – 5.26 mm<sup>2</sup>

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .81 mm [.032 in]

## **Features**

## **Product Type Features**

Wire Stop	No
Wire/Cable Type	Regular Wire
Terminates To	Wire & Cable
Insertion Force	Low
Sealable	No
Insulated	No

## **Configuration Features**

Connection Capacity	Single	

### **Body Features**

Fully Insulated	No
Plating Material	Tin

### **Contact Features**

Terminal Type	Receptacle
Terminal & Splice Type	Receptacle



Terminal Orientation	Flag
Contact Base Material	Phosphor Bronze
Crimp Type	Tab-Lok
Barrel Type	Open
Mechanical Attachment	
Mating Retention Type	Dimple
Wire Insulation Support	Without
Dimensions	
Overall Length	17.02 mm[.67 in]
Receptacle Terminal Stock Thickness	.46 mm[.018 in]
Wire Size	3.31 – 5.26 mm <sup>2</sup>
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Usage Conditions	
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Industry Standards	
UL Rating	Listed
CSA Certified	Yes
Packaging Features	
Packaging Quantity	4000
Packaging Method	Strip/Reel
Other	
Line	Premier
Comment	Left hand

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205)



	Candidate List Declared Against: JAN 2020 (205)  Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JAN 2020 (205)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



Also in the Series | FASTON 250





Compression Connectors(4)



Crimp Terminal Housings(133)



Magnet Wire Terminals(1)






Quick Disconnects(459)




Splices(4)

# Customers Also Bought




TE Model / Part #52951-3
PG SPR SPD 22-16COM22-18MIL 10



TE Model / Part #1969104-1 ULTRA-POD 250 ASSY REC 18-14 AWG BR



TE Model / Part #5-1123722-5 3.96 EP PLUG HSG 5P(BLACK)



TE Model / Part #121397P028 ES2000-NO.3-B8-0-95MM



TE Model / Part #521596-1 ULTRA-POD 187 ASY REC 22-18 .187X. 020 BR



TE Model / Part #1969110-2 ULTRA-POD 250 ASSY REC 18-14 AWG TPBR



TE Model / Part #521442-1
FASTON 250 REC HSG 2CIR NYLON
NAT



TE Model / Part #6-1123722-5
3.96 EP PLUG HSG 5P(GREEN)

## **Documents**

## **Product Drawings**

FASTON .250 FLAG REC 12-10 AWG TPPHBZ

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_62057-8\_AR.2d\_dxf.zip

English

3D PDF



3D

**Customer View Model** 

ENG\_CVM\_CVM\_62057-8\_AR.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_62057-8\_AR.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English

**AMPLIVAR Bobbin Tab Terminals** 

English

**Application Specification** 

English

**Agency Approvals** 

**UL Report** 

English