
TE Internal #: 6-5530843-5

TE Internal Description: CONN SEC II 31 POS 100C/L

View on TE.com >



Connectors > Power Connectors > Card Edge Power & Two-Piece Edge Connectors > Card Edge Power Connectors



Connector System: Board-to-Board

Number of Positions: 62

Centerline (Pitch): 2.54 mm [.1 in]

Connector & Contact Terminates To: Printed Circuit Board

Contact Current Rating (Max): 3A

Features

Product Type Features

Housing Type	Receptacle
Product Type	Connector Assembly
Connector System	Board-to-Board
Contact Type	Socket
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Keying & Polarized Position Locations	0
PCB Mount Orientation	Vertical
Number of Positions	62
Number of Power Positions	62
Number of Dual Positions	31
Number of Single Positions	0
Row-to-Row Spacing	4.85 mm[.191 in]

Electrical Characteristics

Operating Voltage	400 V	

Contact Features



Contact Termination Area Plating Finish	Matte
Contact Underplating Material	Nickel
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	3 A
Contact Mating Area Plating Material	Gold
Contact Mating Area Plating Material Thickness	.76 μm[30 – 30 μin]
Contact Termination Area Plating Material	Tin
Contact Termination Area Plating Thickness	2.54 μm
Termination Features	
Termination Post & Tail Length	3.18 mm[.125 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
PCB Mount Alignment	Without
PCB Mount Retention	With
PCB Mount Retention Type	Solder Tail
Connector Mounting Type	Board Mount
Mating Alignment	With
Mating Retention	Without
Mating Alignment Type	Keyed
Housing Features	
End Caps	Without
Centerline (Pitch)	2.54 mm[.1 in]
Housing Color	Black
Housing Material	Polyester GF
Dimensions	
Card Slot Depth	7.67 mm[.313 in]
Power Contact Centerline	2.54 mm[.1 in]
Height	15.67 mm[.79 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]

Operation/Application

Circuit Application

Power & Signal



Industry Standards

UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box
Packaging Quantity	108
Other	
Position Locations Omitted	None

Printed Circuit Board

Product Compliance

For Use With

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JAN 2020 (205)
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.



Compatible Parts




Customers Also Bought











TE Model / Part #282822-4
TERMI-BLOK HEADER,ASSY90 4P.



TE Model / Part #2-292173-8 CT BOX HDR H SMT 8P O/TAPE BLA



TE Model / Part #5-104078-1 20 SYSTEM 50 RCPT ASSY DRST SN



TE Model / Part #5-146269-1
02 MODII HDR DRST B/A 100 W/HD



TE Model / Part #5145300-2 SMT CARD RCPT,8 POS, W/ COVER



Documents

Product Drawings
CONN SEC II 31 POS 100C/L

English

CAD Files
3D PDF



3D

Customer View Model

ENG_CVM_CVM_6-5530843-5_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_6-5530843-5_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-5530843-5_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC03_CARD_EDGE

English

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English

Agency Approvals

Agency Approval Document

English