

Raychem

TE Internal #: 624113-000

SolderSleeve Shield Terminators, Operating Temperature (Max)

125 °C, Expanded Inside Diameter (Min) 4.3 mm [.17 in]

View on TE.com >



Harnessing > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): 125 °C

Expanded Inside Diameter (Min): 4.3 mm [.17 in]

Recovered Inside Diameter (Max): 1.9 mm [.075 in]

Pre-Installed Lead: No Wire Size: 22 – 34 AWG

Features

Configuration Features

| Pre-Installed Lead | No |
|---------------------------------|-----------------|
| Dimensions | |
| Expanded Inside Diameter (Min) | 4.3 mm[.17 in] |
| Recovered Inside Diameter (Max) | 1.9 mm[.075 in] |
| Wire Size | .34 – .02 mm² |
| Usage Conditions | |
| Operating Temperature (Max) | 125 °C |
| Wire Temperature (Max) | 105 °C |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Not Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Not Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUL 2019 (201) Cd (18% in Solder) Pb (32% in Solder) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose |



of the article by following all applicable governmental regulations relevant to your geographic location.

| Halogen Content | BFR/CFR/PVC Free, but Br/Cl >900 ppm in |
|-----------------|---|
| | other sources. |


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Model / Part # CJ2087-000 HL2010E-KIT-120V

Customers Also Bought



TE Model / Part #146873-000 342A012-25-G05/225-0




TE Model / Part #E75778-000 342A012-100-G05/86-0



TE Model / Part #F20649-000 382A012-100-G05/86-0



TE Model / Part #455644-000 ST18-2-55-24-9



TE Model / Part #709929-000 202K121-100-01/86-0



TE Model / Part #C477853001 VG-95218-T023-C015 TE Model / Part #9540463001 VG-95218-T021-C002







Documents

Product Drawings

D-142-73

English

Datasheets & Catalog Pages

Raychem Electrical Interconnect Products

English

Product Specifications

Product Specification

English