

MICRO-EDGE

TE Internal #: 5821997-3

SIMM Sockets, Vertical Module Orientation, 72 Position, -67 – 221 °

F [-55 – 105 °C]

View on TE.com >



Connectors > Socket Connectors > Memory Sockets > SIMM Sockets



Module Orientation: Vertical

Number of Positions: 72

Centerline (Pitch): 1.27 mm [.05 in]

Connector & Contact Terminates To: Printed Circuit Board

Contact Current Rating (Max): 1 A

Features

Product Type Features

| Connector & Contact Terminates To | Printed Circuit Board |
|-----------------------------------|-----------------------|
| Configuration Features | |
| Number of Keys | 1 |
| Number of Rows | 1 |
| Module Orientation | Vertical |
| Number of Positions | 72 |
| Body Features | |
| Latch Material | Brass |
| Retention Post Location | Center |
| Latch Plating Material | Nickel |
| Connector Profile | Standard |
| Contact Features | |
| Memory Socket Type | Memory Card |
| | 30 μin |



| Contact Mating Area Plating Material | Gold |
|---|--|
| Contact Underplating Material | Nickel |
| PCB Contact Termination Area Plating Material | Tin |
| Contact Base Material | Phosphor Bronze |
| Contact Current Rating (Max) | 1 A |
| Termination Features | |
| Insertion Style | Cam-In |
| Termination Post & Tail Length | 3.05 mm, 3.66 mm[.12 in][.144 in] |
| Mechanical Attachment | |
| Polarization | Left |
| Mating Alignment Type | Center Post |
| PCB Mounting Style | Through Hole - Solder |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Housing Material | LCP (Liquid Crystal Polymer) |
| Housing Color | Natural |
| Centerline (Pitch) | 1.27 mm[.05 in] |
| | |
| Dimensions | |
| Dimensions Center Retention Hole Diameter | 2.45 mm[.096 in] |
| | 2.45 mm[.096 in] |
| Center Retention Hole Diameter | 2.45 mm[.096 in] -55 – 105 °C[-67 – 221 °F] |
| Center Retention Hole Diameter Usage Conditions | |
| Center Retention Hole Diameter Usage Conditions Operating Temperature Range | |
| Center Retention Hole Diameter Usage Conditions Operating Temperature Range Operation/Application | -55 – 105 °C[-67 – 221 °F] |
| Center Retention Hole Diameter Usage Conditions Operating Temperature Range Operation/Application Circuit Application | -55 – 105 °C[-67 – 221 °F] |
| Center Retention Hole Diameter Usage Conditions Operating Temperature Range Operation/Application Circuit Application Industry Standards | -55 – 105 °C[-67 – 221 °F] Signal |
| Center Retention Hole Diameter Usage Conditions Operating Temperature Range Operation/Application Circuit Application Industry Standards UL Flammability Rating | -55 – 105 °C[-67 – 221 °F] Signal |

Product Compliance

For compliance documentation, visit the product page on TE.com>



| EU ELV Directive 2000/53/EC | Compliant |
|---|---|
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Wave solder capable to 240°C |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought

























Documents

Product Drawings

72 ME .050 VERT AU M/L PB-FREE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5821997-3_B_c-5821997-3-b.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5821997-3_B_c-5821997-3-b.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5821997-3_B_c-5821997-3-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

MICRO-EDGE SIMM (Single In-Line Memory Module) Connectors

English

Product Environmental Compliance

TE Material Declaration

English

