TE Internal #: 2110304-1

SFP, SFP+ & zSFP+, Cage, Data Rate (Max) 16 Gb/s, Internal


/External EMI Springs, SFP+, Not Optional, 1 x 1, Through Hole -

Solder, 1 Port

View on TE.com >





Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+











Pluggable I/O Product Type: Cage

Data Rate (Max): 16 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: **SFP+** Lightpipe Options: **Not Optional**

Features

Product Type Features

Product Type Features	
Form Factor	SFP+
Cage Type	Single
Pluggable I/O Product Type	Cage
Lightpipe Options	Not Optional
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Port Matrix Configuration	1 × 1
Number of Ports	1
Electrical Characteristics	
Data Rate (Max)	16 Gb/s

Tin

Contact Features

Tail Plating Material



Termination Features

Termination Post & Tail Length	2.8 mm[.11 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Cage Material	Nickel Silver
Dimensions	
PCB Thickness (Recommended)	1.5 mm[.059 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Heat Sink Compatible	No
For Use With Pluggable I/O Products	SFP+ SMT Connector
Pluggable I/O Applications	SFP+
Packaging Features	
Packaging Method	Box & Tray, Package

Other

EMI Containment Feature Type Internal/External EMI Springs
--

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts








TE Part # CAT-C11-H506 SFP+ to SFP+ I/O Cable Assembly: 26 AWG



TE Part # CAT-C11-H5062 SFP+ to SFP+ I/O Cable Assembly: 28 AWG



TE Part # 2057500-1 Light Pipe, Ganged SFP+



TE Part # 2142970-1 CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M



TE Part # 2142970-2 CABLE ASSY, MICRO SFP+ TO STD SFP+, 1M



TE Part # 2142970-3 CABLE ASSY, MICRO SFP+ TO STD SFP+, 2M



TE Part # 2142970-4
CABLE ASSY, MICRO SFP+ TO STD
SFP+, 3M



TE Part # 2142970-5 CABLE ASSY, MICRO SFP+ TO STD SFP+, 4M

Customers Also Bought



TE Part #1888247-1
20 POS SMT CONN, SFP/SFP+, 30A



TE Part #1241150-5
5P MOD II BREAK AWAY HDR , SMD,
BLISTER



TE Part #1735042-8

1MM FFC SMT V ASSY 8P EMBOSS



TE Part #2-2176092-9 RP 2A 0.25W 1K37 0.1% 25PPM 1K RL



TE Part #2176380-8 RQ 0805 1K37 0.1% 10PPM 5K RL



TE Part #7-2176378-8 RQ 0805 63R4 0.1% 10PPM 5K RL



TE Part #2-917338-2 DYNAMIC 3200 VERTI. HDR ASY 4P



TE Part #5-338314-2 15POS.HD20 REC.ASSY

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_2110304-1_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2110304-1_B.3d_igs.zip

English



Customer View Model

ENG_CVM_CVM_2110304-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

4-1773455-3 - Quick Reference Guide SFP+ Solutions

English

Product Environmental Compliance

TE Material Declaration

English