

Product data sheet

Miniature connectors




Product description	M16 IP67 Female panel mount connector, Contacts: 7 (07-a), unshielded, solder, IP67, UL
Area	M16 IP67 series 723
Part no.	09 0128 00 07


Illustration



Scale drawing



Contact arrangement (Plug-in side)



You can find the component part drawing and assembly instructions on the next page.

Technical data

General features

Part no.	09 0128 00 07
Connector design	Female panel mount connector
Version	Connector socket straight
Connector locking system	screw
Termination	solder
Degree of protection	IP67
Cross-sectional area	0.75 mm ² / AWG 18
Temperature range from/to	-40 °C / 95 °C
Mechanical operation	> 500 Mating cycles
Weight (g)	10.06
Customs tariff number	85369010

Electrical parameters

Rated voltage	125 V
Rated impulse voltage	800 V
Rated current (40 °C)	5.0 A
Insulation resistance	≥ 10 ¹⁰ Ω
Pollution degree	1
Overvoltage category	I
Insulating material group	III
EMC compliance	unshielded

Product data sheet

Miniature connectors

Product description	M16 IP67 Female panel mount connector, Contacts: 7 (07-a), unshielded, solder, IP67, UL
Area	M16 IP67 series 723
Part no.	09 0128 00 07

Material

Housing material	Zinc die-cast nickel-plated
Contact body material	PBT (UL94 V-0)
Contact material	CuSn (bronze)
Contact plating	Ag (silver)
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	SCIP-number not available


Authorization/approvals

Approvals	UL
-----------	----

Classifications

eCl@ss 11.1	27-44-01-09
ETIM 7.0	EC003569

Assembly instructions / Panel cut-out




Product data sheet

Miniature connectors

Product description	M16 IP67 Female panel mount connector, Contacts: 7 (07-a), unshielded, solder, IP67, UL
Area	M16 IP67 series 723
Part no.	09 0128 00 07

Component part drawing



Product description	M16 IP67 Female panel mount connector, Contacts: 7 (07-a), unshielded, solder, IP67, UL
Area	M16 IP67 series 723
Part no.	09 0128 00 07

Security notices

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP67 and IP68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.