




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**
PCB Hole Diameter: **3.1 mm [.122 in]**
Mating Pin Diameter: **1.47 mm [.058 in]**
Accepts Wire Insulation Diameter (Max): **2.29 mm [.09 in]**
Accepts Wire Insulation Diameter Range: **1.52 – 2.29 mm [.06 – .09 in]**

Features

Product Type Features

PCB Terminal Mounting Style	Stud Mount
-----------------------------	------------

Configuration Features

Stud Hole	No
Compatible With Wire & Cable Type	Round Jacketed Cable
Terminal Angle	180 °

Contact Features

Contact Plating Material	Tin
PCB Terminal Type	Receptacle
Mating Pin Diameter	1.47 mm[.058 in]
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Crimp
Termination Method to Printed Circuit Board	Through Hole - Solder

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Receptacle Terminal Stock Thickness	.25 mm[.01 in]
PCB Hole Diameter	3.1 mm[.122 in]
Accepts Wire Insulation Diameter (Max)	2.29 mm[.09 in]
Accepts Wire Insulation Diameter Range	1.52 – 2.29 mm[.06 – .09 in]
Wire Size	.2 – .6 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Quantity	12000
Packaging Method	Box

Other

Comment	Machine applied applicator required.
---------	--------------------------------------

Product Compliance


For compliance documentation, visit the [product page on TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 60789-3 .058 DIA RECEPTACLE LP 20-24 GPPHBR	 TE Part # 60789-1 .058 DIA RECEPTACLE LP 20-24	 TE Part # 60598-3 058PIN REC IS 22-20 010TPPHBZ	 TE Part # 350393-1 058 PCB REC IP 010TPPHBZ
 TE Part # 60986-1 .058 DIA PIN RECPT L/P	 TE Part # 60888-1 058 PIN REC 26-22 .010TPPHBZ	 TE Part # 60888-2 058 PIN REC 26-22 .010GPPHBR	 TE Part # 60940-2 058 PIN REC 24-20 SN/BEUC

Customers Also Bought

 TE Part #640457-4 04P MTA100 HDR ASSY SQ R/A F/L	 TE Part #1415898-5 RTS3TF12	 TE Part #55843-1 SPLICE,CE 22-14	 TE Part #5569284-1 MJ,TE,8P
--	---	--	---



Documents

Product Drawings

[.058 PIN REC 24-20 010PTPPHBZ](#)

English

CAD Files

Customer View Model

[ENG_CVM_60940-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_60940-1_F.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_60940-1_F.2d_dxf.zip](#)

English

3D PDF

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_60940-1_K.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60940-1_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60940-1_K.3d_stp.zip](#)

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_60940-1_11302015833_dmtec

English

MD_60940-1_11302015833_dmtec

English

Instruction Sheets

Application and Maintenance for Hand Crimping Tool

English

Instruction Sheet (U.S.)

English