

STRIPPING TOOLS

p. 141

VDE
Cutting tools

► 5-531

Automatic wire stripper 0.2 - 6 mm² mit Anschlag

Automatic stripping pliers for all common flexible and solid conductors from 0.2 - 6.0 mm², adjustable length stop from 5 - 12 mm, if required with removable integrated side cutters up to max. Ø 2 mm. Blades made of special stainless steel, plastic body, non-slip
Total length: 190 mm
Weight: 106 g



5-531-10



5-531

► 5-531-10


Replacement knives for Art.-No. 5-531 (pair)

Blades made of special stainless steel
Weight: 20 g

► 3-0856

Crimping pliers/wire stripper

Cable lug pliers for insulated and non-insulated cable lugs. Tool steel (HRC 54 - 56), surface burnished, insulated handle, non-slip.
Total length: 230 mm
Weight: 300 g



3-0856

► 3-815-16

Wire stripper with adjusting screw and opening spring

Inserted joint stripping pliers with adjusting screw for all wire thicknesses, with compression spring high-quality steel (HRC 54 - 56), 2-component plastic ergonomically formed, non-slip.
Total length: 160 mm
Weight: 120 g



5-815-16

► 5-181

Wire scraper tweezers 125mm

For removal of varnish insulation on copper wires.
Weight: 33 g
Replacement knives: Art.-No. 5-182



5-181

INSERTION TOOL

► 2-701

LSA-Plus insertion tool

KRONE LSA-Plus termination tool for non-soldering, non-screwing and non-stripping connection of the wires and at the same time cutting off the remaining lengths, on strips or boxes. For laying data cables on data outlets or patch panels. Application tool for all data, information and telecommunication cabling, applicable for all LSA-PLUS® series as well as RJ45 sockets and highband, for connecting conductor diameters (0.35-0.9mm) and core diameters (0.7-2.6mm).
Total length: 185 mm
Weight: 62 g



2-701

► 2-702

Termination tool for system 71

Termination tool for non-soldering, non-screwing and non-stripping connection of the wires and at the same time cutting off the remaining lengths, on strips or boxes. For laying data cables on data outlets or patch panels. Termination tool for non-soldering, non-screwing and non-stripping connection of the wires and at the same time cutting off the remaining lengths, on strips or boxes. For laying data cables on data outlets or patch panels.
Total length: 185 mm
Weight: 62 g

Application advices on our homepage.



2-702

CRIMPING TOOLS

► 3-0601

Crimping pliers for connector types HT-2094C

Pliers made of solid metal, with interchangeable blades, spring and closed lock, for cutting, cable stripping and crimping of the most common connector types.

Tool steel (HRC 54 - 56), blades made of special stainless steel, plastic handle

Replacement knives: Art.-No. 3-0601-00 (VE6)

Total length: 200 mm, Weight: 320 g



3-0601

► 3-0603

Cricrimping pliers for connector types HT-210C

Crimping pliers, solid metal design, replaceable blades, spring and locking device, for cutting, stripping and crimping of the most common connector types. 8P/8C,

Tool steel (HRC 54 - 56), blades made of special stainless steel, plastic handle

Ersatzmesser: Art.-Nr. 3-0601-00 (VE6)

Total length: 200 mm, Weight: 320 g



3-0603

► 3-0605

Combination modular crimping pliers

Solid metal pliers with interchangeable blades, spring and closed locking mechanism,

for cutting, stripping and crimping the most common connector types. 6P/6C - 6P/4C - 6P/2C - 8P/8C tool steel (HRC 54 - 56), special stainless steel blades, plastic handle

Replacement knives: Art.-No. 3-0605-00

Total length: 200 mm, Weight: 320 g



3-0605

► 3-0609

Universal crimping pliers

Universal crimping pliers, patented design robust metal pliers, for cutting, stripping and crimping, exchangeable knives, spring and locking device, ratchet mechanism.

For 4P4C - 4P2C - 6P6C/RJ - 12 - 6P4C/RJ - 11 - 8P8C/RJ45 - DEC 6P6C,

Tool steel (HRC 54 - 56), Klingen aus rostfreiem Spezialstahl

Replacement knives: Art.-No. 3-0609-00

Total length: 200 mm, Weight: 520 g



3-0609

► 3-0611

Crimping pliers for BNC and TNC coaxial connectors

For BNC and TNC coaxial connectors, with ratchet lock and automatic release, suitable for internal contacts and external receptacles. Tool steel (HRC 54 - 56), surface burnished

Pressing range:

hexagon socket for all inner contacts. Crimp length 2.3 mm inner-Ø (0.068 inch) 1.73 mm.

Small hex for RG 58 crimp length 10.0 mm inner-Ø (0.213 inch) 5.41 mm.

Middle hex for RG 59/62 crimp length 10.0 mm inner-Ø (0.256 inch) 6.50 mm.

Large hex for RG 6 crimp length 10.0 mm inner-Ø (0.319 inch) 8.10 mm.

Replacement knives: Art.-No. 3-0611-00

Total length: 200 mm, Weight: 520 g



3-0611

► 3-0612

Automatic crimping pliers

Automatic crimping pliers ratchet mechanism for crimping insulated terminals. version: 0.5 - 1.0 / 1.5 - 2.5 / 4 - 6 mm² (AWG 22 - 18 / 16 - 14 / 12 - 10) tool steel (HRC 54 - 56), surface burnished

Total length: 200 mm, Weight: 520 g



3-0612

► 3-871-6

Pressing pliers 155 mm for wire 0.25 - 2.5 mm²

Crimping pliers, for wire end ferrules combined with wire cutters and stripping frames, for various wire thicknesses, for wire end ferrules from 0.25 - 2.5 mm² carbon steel.

surface matt chrome plated, high-quality steel (HRC 54 - 56), handle dipped insulation, non-slip

Total length: 155 mm, Weight: 165 g



3-871-6

► 3-875-6

Pressing pliers 255 mm for wire 0.5 - 16.0 mm²

Crimping pliers, for wire end ferrules combined with wire cutters and stripping frames, for various wire thicknesses, for wire end ferrules from 0.50 - 16.0 mm² carbon steel.

surface matt chrome plated, high-quality steel (HRC 54 - 56), handle dipped insulation, non-slip

Total length: 226 mm, Weight: 285 g



3-875-6