




TE Internal #: 1483351-2  
Micro Match Cable Assembly, .49 ft [.15 m], .08 mm<sup>2</sup>, Gray Cable,  
Double-Ended, Micro Match Plug, Micro Match Plug, PBT GF20,  
Red Housing, 28 AWG  
[View on TE.com >](#)

Cable Assemblies > Copper Cable Assemblies > Power Cable Assemblies



Cable Assembly Configuration: **Double-Ended**  
Wire Size: **.08 mm<sup>2</sup>**  
Outside Cable Diameter: **.93 mm [.036 in ]**  
Shielded: **No**  
Cable Assembly Length: **.15 m [.49 ft ]**

Features

Product Type Features

Product Type	Cable Assembly
Product Designation	Patch Cord
Cable Assembly Category	Industry Standard
Cable Assembly Type	Micro Match
Connector Type (End A)	Micro Match Plug
Connector Type (End B)	Micro Match Plug

Configuration Features

Keyed	Yes
Number of Positions	6
Number of Power Positions	0

Body Features

Equalized	Yes
Cable Color	Gray

Housing Features

--	--



Housing Material	PBT GF20
Housing Color	Red

Dimensions

Wire Size	28 AWG
Outside Cable Diameter	.93 mm[.036 in]

Usage Conditions

Operating Temperature Range	-40 – 221 °C[-40 – 105 °F]
-----------------------------	----------------------------

Operation/Application

Shielded	No
----------	----

Industry Standards

IEEE 1394	No
Flammability Rating	UL 2651

Other

CLOUDSPLITTER	No
Cable Assembly Configuration	Double-Ended
Cable Assembly Length	.15 m[.49 ft]

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1483351-1  
MICRO-MATCH LEAD 06P 100MM



TE Part # 1483351-3  
MICRO-MATCH LEAD 06P 250MM

Customers Also Bought



TE Part #5084616-6  
0.8FH,R13H.5,140,08/Sn,TR,SC



TE Part #1-338068-8  
Female-on-Board Connector, Top Entry



TE Part #1-1625999-9  
HSC100 22K 5%



TE Part #T4111511041-000  
M12 M, 4P GOLD D\_CODE S SHIELDED PG7



TE Part #T4111011031-000  
M12 M, 3P GOLD A\_CODE S SHIELDED PG7



TE Part #4525DO-DS3AI005DS  
PRESS XDCR,DIGITAL,PSI RANGE



TE Part #1483351-1  
MICRO-MATCH LEAD 06P 100MM



TE Part #1483351-3  
MICRO-MATCH LEAD 06P 250MM

Documents

Product Drawings

MICRO-MATCH LEAD 06P 150MM

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1483351-2\_A\_c-1483351-2-a.2d\_dxf.zip

1483351-2

Micro Match Cable Assembly, .49 ft [.15 m], .08 mm², Gray Cable, Double-Ended,  
Micro Match Plug, Micro Match Plug, PBT GF20, Red Housing, 28 AWG



English

Customer View Model

[ENG\\_CVM\\_CVM\\_1483351-2\\_A\\_c-1483351-2-a.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1483351-2\\_A\\_c-1483351-2-a.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Environmental Compliance

TE Material Declaration

English