

2203571

https://www.phoenixcontact.com/ca/products/2203571

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 45 keys, embossed, 4 colors, connecting cable: 77 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

## Your advantages

- · Easy integration into HCS series electronics housings
- · Membrane keypads in various sizes and colors for customized device designs
- · Customization of membrane keypad via configurator

#### Commercial Data

Item number	2203571
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	XX
Product Key	ACFABF
GTIN	4055626528670
Weight per Piece (including packing)	21.7 g
Weight per Piece (excluding packing)	21.7 g
Customs tariff number	85365011
Country of origin	DE



2203571

https://www.phoenixcontact.com/ca/products/2203571

## **Technical Data**

# Product properties

Product type	Membrane keypad
Number of positions	16
Pitch	2.54 mm
Housing type	Handheld housing
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Embossing	Dome embossing 11 x 11 mm
Housing series	HCS
Number of socket pins	16
Number of keys	45 (9 x 5)

#### **Dimensions**

Length	77 mm (Membrane cable)
Dimensions	144 mm x 78 mm
Pitch	2.54 mm

# Material specifications

Housing material	Polyester

## Environmental and real-life conditions

### Ambient conditions

Ambient temperature (operation)	-20 °C 70 °C
Ambient temperature (storage/transport)	-40 °C 80 °C

## Mounting

Mounting type	adhesive
Mounting type	adilesive



2203571

https://www.phoenixcontact.com/ca/products/2203571

# Classifications

### **ECLASS**

	ECLASS-9.0	27182702		
	ECLASS-10.0.1	27182702		
	ECLASS-11.0	27182702		
ETIM				
	ETIM 8.0	EC001031		
UNSPSC				
	UNSPSC 21.0	31261500		



2203571

https://www.phoenixcontact.com/ca/products/2203571

#### Accessories

#### Electronic housing

Electronic housing - HCS-T MAXI 1W C C C 7035 - 2203142

https://www.phoenixcontact.com/ca/products/2203142



Handheld housing, T-Maxi, light gray, consisting of two half shells with screws, front 1.1 mm recessed, with window and keypad slot

### Electronic housing

Electronic housing - HCS-T MAXI 1W C 1 1 7035 - 2203143

https://www.phoenixcontact.com/ca/products/2203143



Handheld housing, T-Maxi, light gray, consisting of two half shells, two front plates with screws, front 1.1 mm recessed, with window and keypad slot



2203571

https://www.phoenixcontact.com/ca/products/2203571

### Electronic housing

Electronic housing - HCS-T MAXI 1W 5AA 1 1 7035 - 2203144 https://www.phoenixcontact.com/ca/products/2203144



Handheld housing T-Maxi light gray, comprising two half shells, two front lenses, screws. Front 1.1 mm recessed, with window and keyboard slot Battery compartment cover and battery contacts, for 5 AA batteries

Phoenix Contact 2022 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd 8240 Parkhill Drive Milton, Ontario L9T 5V7 1-800-890-2820 cdinfo@phoenixcontact.ca