




Heat Shrink Tubing



Primary Product Color: **Black**

Wall Type: **Single**

Expanded Inside Diameter (Min): **7.62 mm [.3 in]**

Recovered Inside Diameter (Max): **2.54 mm [.1 in]**

Shrink Ratio: **3:1**

Features

Product Type Features

Wall Type	Single
-----------	--------

Body Features

Fluid Type	Brake Fluid, Water
Primary Product Color	Black
Shrink Ratio	3:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Semi-Rigid

Dimensions

Cut Length	1220 mm[48.031 in]
Recovered Wall Thickness (Nominal)	2.03 mm[.08 in]
Expanded Inside Diameter (Min)	7.62 mm[.3 in]
Recovered Inside Diameter (Max)	2.54 mm[.1 in]

Usage Conditions

Fluid Resistance	Immersion Protection, Moisture/Spray Protection
Shrink Temperature (Min)	70 °C
Heat Shrink Tubing Flammability	Flame-Retardant
Operating Temperature Range	-55 – 110 °C
Heat Shrink Tubing Resistance	Abrasion, Fluids, Mechanical Damage,



	Weathering
Recovery Temperature	121 °C

Product Availability

Applicable Region	Global
-------------------	--------

Packaging Features

Packaging Method	Stick
------------------	-------

Other

Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 955018-000
CLTEQ-M105-TUNNEL-OVEN

TE Part # 2326489-1
MODEL 105 TUNNEL OVEN, 36"
ENTRY, STAND A

TE Part # CJ1047-000
VBH-1-BED-HTR-220V-3WR

Also in the Series | Raychem XFFR

Heat Shrink Tubing(20)

Customers Also Bought

TE Part #762261-000
D-SCE FLUID RESISTANT SLEEVES

TE Part #260516-001
F42-60-FR

TE Part #3-640441-7
07P MTA100 CONN ASSY WHT

TE Part #32960
TERMINAL,PG R 16-14 10

TE Part #8-1676913-7
YR1 0.1% 32K4

TE Part #1SNA233030R2600
RC610 1->100 HORIZONTAL

TE Part #1SNA199412R1500
SCH8

TE Part #5039234011
DR-25-1-1/2-0-SP

TE Part #1SNA160496R2600
DR4/6.P

TE Part #1SNA162988R2100
HD6/14.SDH.1



Documents

Datasheets & Catalog Pages

XFFR Pages from 9-1773447-9

English

Application Tooling for Raychem Heat Shrink Product

English

Measuring_Single_Wall_Tubing

English

Selecting_Correct_Tubing

English

Product Specifications

Product Specification

English

Global Dimensional Life for RAYCHEM Heat Shrink Tubing Standard Size Products (Customer Distribution)

English