



Identification & Labeling > Labels > Standard Labels > CSL Self Laminating Polyester Labels



Label Type: **Self-Laminating**

Label Style: **Die-Cut**

Label Adhesive Type: **Permanent Acrylic Adhesive**

UL Listed: **No**

Label Width: **25 mm [ .98 in ]**

[All CSL Self Laminating Polyester Labels \(20\)](#)

Features

Product Type Features

Printable Label Height	12.7 mm[.5 in]
Label Type	Self-Laminating

Body Features

Label Color	White
-------------	-------

Dimensions

Compatible Cable Diameter (Min)	4 mm[.159 in]
Compatible Cable Diameter (Max)	6.8 mm[.266 in]

Usage Conditions

Operating Temperature Range	-30 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Printer/Label Features

Number of Labels Across	8
Recommended Printer Ribbon	See Printer Ribbon Matrix
Label Style	Die-Cut
Label Width	25 mm[.98 in]
Length of Label Roll	.29 m[.974 ft]
Label Height	33.9 mm[1.33 in]
Label Material	Polyester



Label Thickness	45 Micron
-----------------	-----------

Industry Standards

UL Listed	No
-----------	----

Packaging Features

Packaging Quantity	64
Packaging Method	Sheet

Other

Label Adhesive Type	Permanent Acrylic Adhesive
---------------------	----------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2186545-1  
WINTOTAL-7-DONGLE

TE Part # 1-2186546-1  
WINTOTAL-7-END-USER-LICENCE

Customers Also Bought

TE Part #5-1622820-9  
3520 68R 5%

TE Part #640505-1  
24P MR HDR ASSY V0

TE Part #963208-1  
DICHTUNG F4P JPT GH

TE Part #1-825457-0  
MOD 2 PINHDR 2X10P.

TE Part #244838-E  
SMCQ 50 M AB VV 8-13 CL \* H007 137  
E005

TE Part #NB19392001  
RNF-100-3/16-BK-STK

Documents

Product Drawings

CSL-03425P-9

English

Datasheets & Catalog Pages

IDENTIFICATION SELECTION GUIDE

English

CSL and LSR - Self-Laminating Laser Printable Polyester Labels

English

Product Specifications

Manuals & User Guides

English