



Harnessing > Interconnect Devices > SolderSleeve Shield Terminators



Product Type: **Shield Terminator**  
Operating Temperature (Max): **125 °C**  
Expanded Inside Diameter (Min): **2.59 mm [.102 in ]**  
Recovered Inside Diameter (Max): **1.5 mm [.06 in ]**  
Pre-Installed Lead: **Yes**

Features

Product Type Features

Splice Type	SolderSleeve
Product Type	Shield Terminator

Configuration Features

Pre-Installed Lead	Yes
--------------------	-----

Termination Features

Termination Method	Solder
--------------------	--------

Dimensions

Overall Length	16.51 mm[.65 in]
Expanded Inside Diameter (Min)	2.59 mm[.102 in]
Recovered Inside Diameter (Max)	1.5 mm[.06 in]
Wire Size	.25 mm²

Usage Conditions

Operating Temperature (Max)	125 °C
Resistance Properties	Splash Protection
Wire Temperature (Max)	105 °C

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Cd (18% in Solder) Pb (32% in Solder) <b>Article Safe Usage Statements:</b> Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Model / Part # CJ2087-000  
HL2010E-KIT-120V

Customers Also Bought




TE Model / Part #9358693001  
55A1131-20-0/2/9-9




TE Model / Part #3832343004  
44A1121-16-0/2-9



TE Model / Part #680888-000  
B-003-01



TE Model / Part #281712-3  
PLUG HE13 IDC 90 3 P TUBE



TE Model / Part #564225-000  
55A0111-30-0



TE Model / Part #ZPF000000000039862  
983-7SE 24-61 S7 L




TE Model / Part #ZPF000000000039864  
983-7SE 24-61 S8 L



TE Model / Part #ZPF000000000039867  
983-7SE 24-61 SN-L



TE Model / Part #1589451-3  
USS009B2 = STRIP CON



TE Model / Part #4-1589449-7  
USS015SC2DC012 = STRIP CON

Documents

Product Drawings

B-003-00

English

Datasheets & Catalog Pages

Raychem Electrical Interconnect Products

English

Product Specifications

Product Specification

English

Installation Procedure for SolderSleeves B-003-0X, B-058-0X, B-900-0X

English