For Oil filters, tube fittings and connectors up to 80 mm diameter Fine adjustment for ideal adjustment to diverse diameters Robust, heavy duty

- > Ideal for tightening and loosening siphon screw connections, plastic pipe fittings and round union nuts
- > For connectors and couplings with screw connection, such as Cannon circular connectors
- > For gentle loosening of hoses on nozzles and filter cartridges
- > 25 adjustment positions, box-joint design
- > Ergonomic handle geometry
- > Chrome vanadium electric steel, forged, oil-hardened

81 01 250 / 81 03 250

> With serrated gripping jaws; up to Ø 80 mm

81 11 250 / 81 13 250

> With exchangeable plastic jaws for sensitive surfaces; up to Ø 75 mm













EL-SHOW C										
Article No.	EAN 4003773-		Pliers	Working Capacity Ø mm	Adjustment positions	4− ► mm				
81 01 250	078463		black atramentized, head polished	25 – 80	25	250				
81 03 250	078487		chrome plated	25 – 80	25	250				
81 11 250	078470		black atramentized, head polished	10 – 75	25	250				
81 13 250	078494		chrome plated	10 – 75	25	250				
81 19 250	078500	2 pair	rs of plastic jaws for 81 11 250 / 81 13 250							



10 profiles 2 crosses 1 key. All common locking systems. 00

- > Multifunctional key for the actuation of locking systems from the areas of facilities engineering (heating and sanitation, air conditioning, electro technology), gas and water supply and shut-off-systems
- > 8-arm version: two 4-way spider keys connected in a space-saving way using magnets
- > Reversible bit: 1.0 x 7 mm slot and PH2 cross slot
- > Key and reversible bit joined by stable stainless steel wire
- > Weight-optimised zinc die-cast design





	EAN	O 3	∆ ∃	- O=	○ ∃		←				
Article No.	4003773-	mm	mm	Ømm	mm	mm	mm				
00 11 01	074670	5/6-7/8- 9/10-11	7 – 8 / 9 – 10 / 11 – 12	3 – 5	6	6 – 9	92				



