

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Adapter, aluminum, for EVO housing, Pg16 thread



## Commercial Data

Item number	1414261
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B10
Product Key	BF7APM
Catalog Page	Page 661 (C-2-2019)
GTIN	4055626022239
Weight per Piece (including packing)	107.7 g
Weight per Piece (excluding packing)	107.7 g
Customs tariff number	85389099
Country of origin	DE

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>




## Technical Data

### Product properties

Product type	Thread adapter
Application	Bayonet B - Pg
Type of the screw connection	Pg16

### Dimensions

Dimensional drawing	
Thread type on seal side	Pg16

### Internal dimensions

Length of internal thread	13 mm
---------------------------	-------

### Material specifications

Sealing material	NBR (O-ring)
Housing material	Die-cast aluminum, corrosion resistant

### Cable / line

External cable diameter	depending on the cable gland
-------------------------	------------------------------

### Mechanical properties

#### Mechanical data

Type of the screw connection	Pg16
------------------------------	------

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	4 (UL 50e)
	4X (UL 50e)
	12 (UL 50e)
Ambient temperature (operation)	-40 °C ... 125 °C

# Adapter - HC-B-TA-PG16-ER-AL


1414261

<https://www.phoenixcontact.com/us/products/1414261>



## Drawings

Dimensional drawing



Dimensional drawing


# Adapter - HC-B-TA-PG16-ER-AL





1414261

<https://www.phoenixcontact.com/us/products/1414261>

## Approvals

**DNV**  
Approval ID: TAE000037S

**cUL Recognized**  
Approval ID: E255026

**UL Recognized**  
Approval ID: E255026

**EAC**  
Approval ID: RU C-DE.AI30.B.01102

**cULus Recognized**

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>



## Classifications

### ECLASS

ECLASS-9.0	27440192
ECLASS-10.0.1	27440192
ECLASS-11.0	27144432

### ETIM

ETIM 8.0	EC002943
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# Adapter - HC-B-TA-PG16-ER-AL



1414261  
<https://www.phoenixcontact.com/us/products/1414261>

## Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>



## Accessories

### Cable gland

Cable gland - G-INS-PG16-S68N-NNES-S - 1411174

<https://www.phoenixcontact.com/us/products/1411174>



Cable gland, material for screw connection: Nickel-plated brass, external cable diameter 10 mm ... 14 mm, shielding: no, connecting thread: Pg16, color: silver, with O-ring

---

### Cable gland

Cable gland - G-INSEC-PG16-S68N-NNES-S - 1411199

<https://www.phoenixcontact.com/us/products/1411199>



Cable gland, material for screw connection: Nickel-plated brass, external cable diameter 10 mm ... 14 mm, shielding: yes, connecting thread: Pg16, color: silver, with O-ring

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>



## Screw connection

Screw connection - WP-G HF IP66 PG16 BK - 3240891

<https://www.phoenixcontact.com/us/products/3240891>



Cable gland, Pg thread, IP66 protection, straight

---

## Screw connection

Screw connection - WP-G HF IP69K PG16 BK - 3240877

<https://www.phoenixcontact.com/us/products/3240877>



Cable gland, Pg thread, IP68/69k protection, straight



# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>



## Screw connection

Screw connection - WP-GA HF IP66 PG16 BK - 3240919

<https://www.phoenixcontact.com/us/products/3240919>

Cable gland, Pg thread, IP66 protection, angled



---

## Screw connection

Screw connection - WP-GA HF IP69K PG16 BK - 3240905

<https://www.phoenixcontact.com/us/products/3240905>

Cable gland, Pg thread, IP68/69k protection, angled



# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>

## Screw connection

Screw connection - WP-GR HF IP66 PG16 BK - 3240947

<https://www.phoenixcontact.com/us/products/3240947>



Cable gland, Pg thread, IP66 protection, with strain relief

---

## Screw connection

Screw connection - WP-GR HF IP69K PG16 BK - 3240933

<https://www.phoenixcontact.com/us/products/3240933>



Cable gland, Pg thread, IP68/69k protection, with strain relief

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>

## Screw connection

Screw connection - WP-G PP HF PG16 - 3240991

<https://www.phoenixcontact.com/us/products/3240991>



Cable gland made from PP with Pg thread, IP65 protection

---

## Screw connection

Screw connection - WP-GT PP HF PG16 - 3241005

<https://www.phoenixcontact.com/us/products/3241005>



Cable gland made from PP with Pg thread, rotatable, IP54 protection

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>



## Screw connection

Screw connection - WP-G BRASS IP40 PG16 - 3241040

<https://www.phoenixcontact.com/us/products/3241040>



Cable gland made from brass with Pg thread, IP40 protection

---

## Screw connection

Screw connection - WP-GT BRASS PG16 - 3241026

<https://www.phoenixcontact.com/us/products/3241026>



Cable gland made from brass with Pg thread, rotatable, IP40 protection

# Adapter - HC-B-TA-PG16-ER-AL

1414261

<https://www.phoenixcontact.com/us/products/1414261>



## Screw connection

Screw connection - WP-G BRASS IP65 PG16 - 3241054

<https://www.phoenixcontact.com/us/products/3241054>



Cable gland made from brass with Pg thread, IP65 protection

---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)