

## STRIPPING TOOLS

p. 141

VDE  
Cutting tools

### ► 5-531

#### Automatic wire stripper 0.2 - 6 mm<sup>2</sup> mit Anschlag

Automatic stripping pliers for all common flexible and solid conductors from 0.2 - 6.0 mm<sup>2</sup>, adjustable length stop from 5 - 12 mm, if required with removable integrated side cutters up to max. Ø 2 mm. Blades made of special stainless steel, plastic body, non-slip  
Total length: 190 mm  
Weight: 106 g



5-531-10



5-531

### ► 5-531-10


#### Replacement knives for Art.-No. 5-531 (pair)

Blades made of special stainless steel  
Weight: 20 g

### ► 3-0856

#### Crimping pliers/wire stripper

Cable lug pliers for insulated and non-insulated cable lugs. Tool steel (HRC 54 - 56), surface burnished, insulated handle, non-slip.  
Total length: 230 mm  
Weight: 300 g



3-0856

### ► 3-815-16

#### Wire stripper with adjusting screw and opening spring

Inserted joint stripping pliers with adjusting screw for all wire thicknesses, with compression spring high-quality steel (HRC 54 - 56), 2-component plastic ergonomically formed, non-slip.  
Total length: 160 mm  
Weight: 120 g



5-815-16

### ► 5-181

#### Wire scraper tweezers 125mm

For removal of varnish insulation on copper wires.  
Weight: 33 g  
Replacement knives: Art.-No. 5-182



5-181

## INSERTION TOOL

### ► 2-701

#### LSA-Plus insertion tool

KRONE LSA-Plus termination tool for non-soldering, non-screwing and non-stripping connection of the wires and at the same time cutting off the remaining lengths, on strips or boxes. For laying data cables on data outlets or patch panels. Application tool for all data, information and telecommunication cabling, applicable for all LSA-PLUS® series as well as RJ45 sockets and highband, for connecting conductor diameters (0.35-0.9mm) and core diameters (0.7-2.6mm).  
Total length: 185 mm  
Weight: 62 g



2-701

### ► 2-702

#### Termination tool for system 71

Termination tool for non-soldering, non-screwing and non-stripping connection of the wires and at the same time cutting off the remaining lengths, on strips or boxes. For laying data cables on data outlets or patch panels. Termination tool for non-soldering, non-screwing and non-stripping connection of the wires and at the same time cutting off the remaining lengths, on strips or boxes. For laying data cables on data outlets or patch panels.  
Total length: 185 mm  
Weight: 62 g

Application advices on our homepage.



2-702

## CRIMPING TOOLS

### ► 3-0601

#### **Crimping pliers for connector types HT-2094C**

Pliers made of solid metal, with interchangeable blades, spring and closed lock, for cutting, cable stripping and crimping of the most common connector types.

Tool steel (HRC 54 - 56), blades made of special stainless steel, plastic handle

Replacement knives: Art.-No. 3-0601-00 (VE6)

Total length: 200 mm, Weight: 320 g



3-0601

### ► 3-0603

#### **Cricrimping pliers for connector types HT-210C**

Crimping pliers, solid metal design, replaceable blades, spring and locking device, for cutting, stripping and crimping of the most common connector types. 8P/8C,

Tool steel (HRC 54 - 56), blades made of special stainless steel, plastic handle

Ersatzmesser: Art.-Nr. 3-0601-00 (VE6)

Total length: 200 mm, Weight: 320 g



3-0603

### ► 3-0605

#### **Combination modular crimping pliers**

Solid metal pliers with interchangeable blades, spring and closed locking mechanism,

for cutting, stripping and crimping the most common connector types. 6P/6C - 6P/4C - 6P/2C - 8P/8C tool steel (HRC 54 - 56), special stainless steel blades, plastic handle

Replacement knives: Art.-No. 3-0605-00

Total length: 200 mm, Weight: 320 g



3-0605

### ► 3-0609

#### **Universal crimping pliers**

Universal crimping pliers, patented design robust metal pliers, for cutting, stripping and crimping, exchangeable knives, spring and locking device, ratchet mechanism.

For 4P4C - 4P2C - 6P6C/RJ - 12 - 6P4C/RJ - 11 - 8P8C/RJ45 - DEC 6P6C,

Tool steel (HRC 54 - 56), Klingen aus rostfreiem Spezialstahl

Replacement knives: Art.-No. 3-0609-00

Total length: 200 mm, Weight: 520 g



3-0609

### ► 3-0611

#### **Crimping pliers for BNC and TNC coaxial connectors**

For BNC and TNC coaxial connectors, with ratchet lock and automatic release, suitable for internal contacts and external receptacles. Tool steel (HRC 54 - 56), surface burnished

Pressing range:

hexagon socket for all inner contacts. Crimp length 2.3 mm inner-Ø (0.068 inch) 1.73 mm.

Small hex for RG 58 crimp length 10.0 mm inner-Ø (0.213 inch) 5.41 mm.

Middle hex for RG 59/62 crimp length 10.0 mm inner-Ø (0.256 inch) 6.50 mm.

Large hex for RG 6 crimp length 10.0 mm inner-Ø (0.319 inch) 8.10 mm.

Replacement knives: Art.-No. 3-0611-00

Total length: 200 mm, Weight: 520 g



3-0611

### ► 3-0612

#### **Automatic crimping pliers**

Automatic crimping pliers ratchet mechanism for crimping insulated terminals. version: 0.5 - 1.0 / 1.5 - 2.5 / 4 - 6 mm<sup>2</sup> (AWG 22 - 18 / 16 - 14 / 12 - 10) tool steel (HRC 54 - 56), surface burnished

Total length: 200 mm, Weight: 520 g



3-0612

### ► 3-871-6

#### **Pressing pliers 155 mm for wire 0.25 - 2.5 mm<sup>2</sup>**

Crimping pliers, for wire end ferrules combined with wire cutters and stripping frames, for various wire thicknesses, for wire end ferrules from 0.25 - 2.5 mm<sup>2</sup> carbon steel.

surface matt chrome plated, high-quality steel (HRC 54 - 56), handle dipped insulation, non-slip

Total length: 155 mm, Weight: 165 g



3-871-6

### ► 3-875-6

#### **Pressing pliers 255 mm for wire 0.5 - 16.0 mm<sup>2</sup>**

Crimping pliers, for wire end ferrules combined with wire cutters and stripping frames, for various wire thicknesses, for wire end ferrules from 0.50 - 16.0 mm<sup>2</sup> carbon steel.

surface matt chrome plated, high-quality steel (HRC 54 - 56), handle dipped insulation, non-slip

Total length: 226 mm, Weight: 285 g



3-875-6