

Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****KONTAKT NB**  
Aerosol**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Cleaners - Precision

**1.3. Details of the supplier of the safety data sheet****CRC Industries Europe bvba**  
Touwslagerstraat 1  
9240 Zele  
Belgium  
Tel.: +32(0)52/45.60.11  
Fax.: +32(0)52/45.00.34  
E-mail : hse@crcind.com

| Subsidiaries                    |   | Tel               | Fax              |
|---------------------------------|---|-------------------|------------------|
| CRC Industries Finland Oy       | Laurinkatu 57 A 23 B, 08100 Lohja                                       | +358/(19)32.921   |                  |
| CRC Industries France           | 6, avenue du marais, C.S. 90028, 95102 Argenteuil Cedex                 | 01.34.11.20.00    | 01.34.11.09.96   |
| CRC Industries Deutschland GmbH | Südring 9, D-76473 Iffezheim  | (07229) 303 0     | (07229)30 32 66  |
| CRC INDUSTRIES IBERIA S.L.U.    | GREMIO DEL CUERO-PARC.96, POLIGONO INDUSTRI. DE HONTORIA, 40195 SEGOVIA | 0034/921.427.546  | 0034/921.436.270 |
| CRC Industries Sweden           | Laxfiskevägen 16, 433 38 Partille                                       | 0046/31 706 84 80 | 0046/31 27 39 91 |

**1.4. Emergency telephone number**

CRC Industries Europe, Belgium: Tel.: +32(0)52/45.60.11 (office hours)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008****Physical:**

Aerosol, category 3



Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

Pressurised container: May burst if heated.

Classification is based on test data.

**Health:** Not classified

Classification based on calculation method.

**Environment:** Hazardous to the aquatic environment, chronic category 4  
May cause long lasting harmful effects to aquatic life.

Classification based on calculation method.

## 2.2. Label elements

### Labelling according to Regulation (EC) No 1272/2008

|                                    |   |
|------------------------------------|---|
| <b>Signal word:</b>                | Warning   |
| <b>Hazard statement(s):</b>        | H229 : Pressurised container: May burst if heated.<br>H413 : May cause long lasting harmful effects to aquatic life.  |
| <b>Precautionary statement(s):</b> | P102 : Keep out of reach of children.<br>P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P251 : Do not pierce or burn, even after use.<br>P410/412 : Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.<br>P501-2 : Dispose of contents/container to an authorised waste collection point. |

**Regulation (EC) No  
648/2004 on  
detergents:**

halogenated hydrocarbons &gt; 30 %

## 2.3. Other hazards

No experimental data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixtures

| Hazardous ingredient           | Registration number | CAS-nr.     | EC-nr     | w/w % | Hazard Class and Category | Hazard statement | Notes |
|--------------------------------|---------------------|-------------|-----------|-------|---------------------------|------------------|-------|
| ethyl nonafluorobutyl ether    | 01-0000017174-74    | 163702-05-4 | 425-340-0 | 10-25 | Aquatic Chronic 4         | H413             |       |
| ethyl nonafluoroisobutyl ether | 01-0000017174-74    | 163702-06-5 | 425-340-0 | 10-25 | Aquatic Chronic 4         | H413             |       |



Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

|                         |                  |          |           |      |   |                |  |
|-------------------------|------------------|----------|-----------|------|---|----------------|--|
| trans- dichloroethylene | 01-2120093504-55 | 156-60-5 | 205-860-2 | 5-10 | Flam. Liq. 2, Acute Tox. 4, Aquatic Chronic 3 | H225,H332,H412 |  |
|-------------------------|------------------|----------|-----------|------|---|----------------|--|

(\* Explanation phrases : see chapter 16)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                            |  |
|----------------------------|--|
| <b>Contact with eyes :</b> | If substance has got into eyes, immediately wash out with plenty of water            |
| <b>Contact with skin :</b> | Wash with plenty of soap and water.  |
| <b>Inhalation :</b>        | Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| <b>Ingestion :</b>         | If swallowed accidentally, do not induce vomiting and seek medical advice.           |

### 4.2. Most important symptoms and effects, both acute and delayed

|                       |   |
|-----------------------|---|
| <b>Inhalation :</b>   | Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness            |
| <b>Ingestion :</b>    | May cause gastrointestinal disturbances<br>Symptoms : sore throat, abdominal pain, nausea, vomiting |
| <b>Skin contact :</b> | In case of contact with liquid product frostbite symptoms may occur.                                |
| <b>Eye contact :</b>  | In case of contact with liquid product frostbite symptoms may occur.                                |

### 4.3. Indication of any immediate medical attention and special treatment needed

|                         |  |
|-------------------------|--|
| <b>General Advice :</b> | In case of accident or if you feel unwell, seek medical advice (show the label where possible)<br>If symptoms persist always call a doctor |
|-------------------------|--|

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

water, foam, carbon dioxide or dry agent

### 5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C  
Forms hazardous decomposition products  
CO,CO2  
HF may be formed under condition of fire

### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water  
In case of fire, do not breathe fumes



**Productname :** KONTAKT NB**Creationdate :**21.02.18 Version :  
1.1**Ref.Nr.:** BDS002313\_3\_20180221 (EN)**Replaces:****SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing and gloves.

**6.2. Environmental precautions**

Do not allow to enter public sewers and watercourses

**6.3. Methods and material for containment and cleaning up**

Absorb spillage in suitable inert material  
Wash spill site with water and detergent

**6.4. Reference to other sections**

For further information see section 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Keep away from heat and sources of ignition  
Do not spray on a naked flame or incandescent material.  
Do not pierce or burn aerosols, even after use.  
Do not breathe aerosols or vapours.  
Ensure adequate ventilation  
Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities**

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.  
Store in a well-ventilated place.  
Keep out of reach of children.

**7.3. Specific end use(s)**

Cleaners - Precision

**SECTION 8: Exposure controls/personal protection**

Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

### 8.1. Control parameters

#### Exposure limits :

No information available

### 8.2. Exposure controls

|                                     |  |
|-------------------------------------|--|
| <b>Control procedures :</b>         | Ensure adequate ventilation<br>Keep away from heat and sources of ignition   |
| <b>Personal protection :</b>        | Take precautions to avoid contact with skin and eyes when handling the product.<br>It is good practice to wear gloves and to provide adequate ventilation whenever using the product.<br>In all cases handle and use the product in accordance with good industrial hygiene practices.           |
| <b>inhalation :</b>                 | In case of insufficient ventilation, wear suitable respiratory equipment.  |
| recommended respiratory protection: | Air purifying respirator equipped with organic gas/vapor cartridge (type AX)   |
| <b>hands and skin :</b>             | For accidental contact the use of disposable gloves should be sufficient provided they are changed immediately after a splash or spill may occur. If intentional contact is expected reusable gloves should be used with a breakthrough time greater than the total duration of the product use. |
| Recommended gloves:                 | Nitrile  |
| <b>eyes :</b>                       | Wear safety eyewear according to EN 166.   |
| <b>Environmental protection:</b>    | Avoid release to the environment.<br>Collect spillage.   |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

|   |                                  |
|---|----------------------------------|
| <b>Apperance : physical state :</b>     | Liquid under pressure.           |
| <b>colour :</b>                         | Colorless.                       |
| <b>odour :</b>                          | Characteristic odor.             |
| <b>pH :</b>                             | Not applicable.                  |
| <b>Boiling point/range :</b>            | Not available.                   |
| <b>Flash point :</b>                    | None                             |
| <b>Explosion limits : upper limit :</b> | Not available.                   |
| <b>lower limit :</b>                    | Not available.                   |
| <b>Vapour pressure :</b>                | Not available.                   |
| <b>Relative density :</b>               | 1.40 g/cm <sup>3</sup> (@ 20°C). |
| <b>Solubility in water :</b>            | Insoluble in water               |
| <b>Auto-ignition :</b>                  | > 200 °C                         |



Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

**9.2. Other information**VOC = volatile organic  
compounds 1400 g/l**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions known if used for its intended purpose

**10.2. Chemical stability**

Stable

**10.3. Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose

**10.4. Conditions to avoid**

Avoid overheating

**10.5. Incompatible materials**

Strong oxidising agent

**10.6. Hazardous decomposition products**CO,CO<sub>2</sub>

HF may be formed under condition of fire

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

|   |   |
|---|---|
| <b>acute toxicity:</b>                    | based on available data the classification criteria are not met |
| <b>skin corrosion/irritation:</b>         | based on available data the classification criteria are not met |
| <b>serious eye damage/irritation:</b>     | based on available data the classification criteria are not met |
| <b>respiratory or skin sensitisation:</b> | based on available data the classification criteria are not met |
| <b>germ cell mutagenicity:</b>            | based on available data the classification criteria are not met |
| <b>carcinogenicity:</b>                   | based on available data the classification criteria are not met |
| <b>toxicity for reproduction:</b>         | based on available data the classification criteria are not met |
| <b>STOT-single exposure:</b>              | based on available data the classification criteria are not met |



Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

**STOT repeated exposure:** based on available data the classification criteria are not met  
**aspiration hazard:** based on available data the classification criteria are not met

**Information on likely routes of exposure:**

**Inhalation :** Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness  
**Ingestion :** May cause gastrointestinal disturbances  
**Skin contact :** In case of contact with liquid product frostbite symptoms may occur.  
**Eye contact :** In case of contact with liquid product frostbite symptoms may occur.

**Toxicological data :**

No information available

**SECTION 12: Ecological information****12.1. Toxicity**

Hazardous to the aquatic environment, chronic category 4  
May cause long lasting harmful effects to aquatic life.

**Ecotoxicological data:**

No information available

**12.2. Persistence and degradability**

No experimental data available

**12.3. Bioaccumulative potential**

No experimental data available

**12.4. Mobility in soil**

Insoluble in water

**12.5. Results of PBT and vPvB assessment**

No experimental data available

**12.6. Other adverse effects**

Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

No experimental data available  
GWP (global warming potential): 39.0035

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**Product :** This material and its container must be disposed of in a safe way.  
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

**Contaminated packaging :** Disposal should be in accordance with local, state or national legislation

**SECTION 14: Transport information****14.1. UN number**

UN-number : 1950

**14.2. UN proper shipping name**

Proper shipping name: AEROSOLS

**14.3. Transport hazard class(es)**

Class: 2.2  
ADR/RID - Classification code: 5A

**14.4. Packing group**

Packing group: Not applicable.

**14.5. Environmental hazards**

ADR/RID - Environmentally hazardous: No

IMDG - Marine pollutant: No

IATA/ICAO - Environmentally hazardous: No

**14.6. Special precautions for user**

ADR/RID - Tunnelcode: (E)

IMDG - Ems: F-D, S-U

IATA/ICAO - PAX: 203

IATA/ICAO - CAO: 203





Productname : KONTAKT NB

Creationdate :

21.02.18 Version :  
1.1

Ref.Nr.: BDS002313\_3\_20180221 (EN)

Replaces:

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The Safety Data Sheet is compiled according to the current European requirements.  
Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.  
Regulation (EC) No 1907/2006 (REACH)  
Regulation (EC) No 1272/2008 (CLP)

**15.2. Chemical safety assessment**

No information available

**SECTION 16: Other information**

\*Explanation hazard statements: H225 : Highly flammable liquid and vapour.

H332 : Harmful if inhaled.

H412 : Harmful to aquatic life with long lasting effects.

H413 : May cause long lasting harmful effects to aquatic life.

acronyms and synonyms:

TWA = time weight average

STEL = short time exposure limit

VOC = volatile organic compounds

PBT = persistent bioaccumulative toxic

vPvB = very persistent very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.