




TE Internal #: 170063-2
Magnet Wire Terminals, Receptacle, Lead Wire Size 20 – 16 AWG,
Lead Wire Size .518 – 1.31 mm², 20 – 16 AWG Magnet Wire, .5 –
1.25 mm Magnet Wire
[View on TE.com >](#)

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: **Receptacle**
Mating Pin Diameter: **2.29 mm [.09 in]**
Accepts Wire Insulation Diameter (Max): **3.4 mm [.134 in]**
Accepts Wire Insulation Diameter Range: **2 – 3.4 mm [.079 – .134 in]**
Lead Wire Size: **.518 – 1.31 mm²**

Features

Product Type Features

Wire Insulation Support Retention Type	Insulation Support
Compatible With Discrete Wire Type	Stranded

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Type	F-Crimp
Magnet Wire Terminal Type	Receptacle
Mating Pin Diameter	2.29 mm[.09 in]
Terminal Plating Material	Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Crimp
Crimp Area Length	6.13 mm[.241 in]

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Housing Features

Housing Retention Force	Standard
-------------------------	----------

Dimensions

Terminal Height	6 mm[.236 in]
Accepts Wire Insulation Diameter (Max)	3.4 mm[.134 in]
Accepts Wire Insulation Diameter Range	2 – 3.4 mm[.079 – .134 in]
Lead Wire Size	20 – 16 AWG
Magnet Wire Size	.5 – 1.25 mm
Stock Thickness (Magnet Wire Side)	.37 mm[.015 in]
Overall Product Length	20.6 mm[.811 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	5000
Packaging Method	Reel

Product Compliance
















[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 171370-3 CLUSTER BLOCK HSG PBT</p>	 <p>TE Part # 2005820-1 CLUSTER BLOCK 3P CLIP HSG</p>	 <p>TE Part # 1-171370-1 2.3 DIA CLUSTER BLOCK HSG</p>	 <p>TE Part # 1-171370-2 2.3DIA CLUSTER BLOCK</p>
 <p>TE Part # 171370-5 CLUSTER BLOCK HSG PBT</p>	 <p>TE Part # 2150087-2 OCEAN_2.0_APPLICATOR-E-090F150FA</p>	 <p>TE Part # 171370-6 CLUSTER BLOCK HSG 66 0023</p>	 <p>TE Part # 171370-7 CLUSTER BLOCK HSG LCP</p>
 <p>TE Part # 2-2150087-1 OCEAN_2.0_APPLICATOR-E-090F150F</p>	 <p>TE Part # 2-2150087-2 OCEAN_2.0_APPLICATOR-E-090F150FA</p>	 <p>TE Part # 2150087-1 OCEAN_2.0_APPLICATOR-E-090F150F</p>	 <p>TE Part # 7-2150087-1 OCEAN_2.0_APPLICATOR-E-090F150F</p>
 <p>TE Part # 7-2150087-2 OCEAN_2.0_APPLICATOR-E-090F150FA</p>	 <p>TE Part # 7-2150087-3 OCEAN_2.0_SPARE_PART_KIT-090F150F</p>	 <p>TE Part # 737110-3 CLUSTER BLOCK HSG VO WHI</p>	

Customers Also Bought



Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_170063-2_AB.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_170063-2_AB.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_170063-2_AB.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English



Product Environmental Compliance

[MD_170063-2_08272018013_dmtec](#)

English

[MD_170063-2_08272018013_dmtec](#)

English

Agency Approvals

[Agency Approval Document](#)

English