SOLISTRAND

TE Internal #: 726346

Rings & Spades, Ring Tongue, 2 AWG, 34 – 35 mm², M6, Stud Diameter 6.5 mm [.256 in], Tongue Thickness .79 mm [.031 in],

Closed Barrel, Offset

View on TE.com >



Terminals & Splices > Rings & Spades



Terminal & Splice Type: Ring Tongue

Wire Size: **34 – 35 mm²**

Stud Size: M6

Stud Diameter: 6.5 mm [.256 in]

Features

Product Type Features

Shape Description	RING-101
Stud Size	M6
Barrel Type	Closed Barrel
Sealable	No
Insulated	No
Wire/Cable Type	Regular Wire
Support Style	Non - Insulation Support
Configuration Features	
Number of Holes	1
Terminal Angle	Straight
Body Features	
Inspection Slot	No
Weight per Piece	1 g
Plating Material	Copper, Tin
Contact Features	

Ring Tongue

Offset

Without

Terminal & Splice Type

Terminal Orientation

Mechanical Attachment

Wire Insulation Support



Dimensions	
Wire Size	$34 - 35 \text{ mm}^2$
Stud Diameter	6.5 mm[.256 in]
Tongue Thickness	.79 mm[.031 in]
Overall Length	26 mm[1.023 in]
Usage Conditions	
Operating Temperature Range	170 °C[338 °F]
Operation/Application	
Heavy Duty	No
Industry Standards	
Government Qualified	No
Packaging Features	
Packaging Quantity	250
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JAN 2020 (205)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought





















Documents

Product Drawings
SO RINGTONG 6-35

English

CAD Files



3D PDF

3D

Customer View Model

ENG_CVM_CVM_726346_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_726346_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_726346_B.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES

English