Miniature connectors




Product description M16 IP67 Female panel mount connector, Contacts: 5 (05-b), unshielded, solder, IP67, UL

Area **M16 IP67 series 723** Part no. **09 0120 00 05**


Illustration

Scale drawing

Contact arrangement (Plug-in side)



12,2





You can find the component part drawing and assembly instructions on the next page.

Technical data

General features

Part no.	09 0120 00 05
Connector design	Female panel mount connector
Version	Connector socket straight
Connector locking system	screw
Termination	solder
Degree of protection	IP67
Cross-sectional area	0.75 mm ² / AWG 18
Temperature range from/to	-40 °C / 95 °C
Mechanical operation	> 500 Mating cycles
Weight (g)	9.34
Customs tariff number	85369010

Electrical parameters

Rated voltage	60 V
Rated impulse voltage	500 V
Rated current (40 °C)	6.0 A
Insulation resistance	$\geq 10^{10} \Omega$
Pollution degree	1
Overvoltage category	1
Insulating material group	III

Miniature connectors



Product description M16 IP67 Female panel mount connector, Contacts: 5 (05-b), unshielded, solder, IP67, UL

Area M16 IP67 series 723
Part no. 09 0120 00 05

EMC compliance unshielded

Material

Housing material	Zinc die-cast nickel-plated
Contact body material	PBT (UL94 V-0)
Contact material	CuSn (bronze)
Contact plating	Ag (silver)
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	ffabd20b-5c88-494d-a424-d7434b3ac5ac


Authorization/approvals

Approvals UL

Classifications

eCl@ss 11.1	27-44-01-09
ETIM 7.0	EC003569

Assembly instructions / Panel cut-out




Miniature connectors



Product description M16 IP67 Female panel mount connector, Contacts: 5 (05-b), unshielded, solder, IP67, UL

Area **M16 IP67 series 723** Part no. **09 0120 00 05**

Component part drawing



Miniature connectors



Product description M16 IP67 Female panel mount connector, Contacts: 5 (05-b), unshielded, solder, IP67, UL

Area **M16 IP67 series 723**Part no. **09 0120 00 05**

Security notices

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP67 and IP68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.