

SPLICE

TE Internal #: 63130-2

SPLICE, Splices, Splice, Splice, 1500 – 5000CMA Wire Size, Brass,

Material Thickness .02 in [.51 mm], Serrated, 3 Serration

View on TE.com >



Terminals & Splices > Splices











Product Type: **Splice**

Terminal & Splice Type: Splice

Sealable: No

Wire Size: 1500 – 5000 CMA

Splice Material: Brass

Features

Product Type Features

Barrel Style	Standard
Product Type	Splice
Sealable	No
Serrated	Yes
Barrel Type	Open Barrel
Wire/Cable Type	Solid, Stranded
Insulated	No
Support Style	Non - Insulation Support
Support Style Configuration Features	Non - Insulation Support
	Non - Insulation Support
Configuration Features	
Configuration Features Number of Serrations	
Configuration Features Number of Serrations Body Features	3



Contact Features

Terminal & Splice Type	Splice
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	1500 – 5000 CMA
Material Thickness	.51 mm[.02 in]
Overall Length	8.26 mm[.325 in]
Usage Conditions	
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Operation/Application Heavy Duty	No
	No
Heavy Duty	No
Heavy Duty Industry Standards	
Heavy Duty Industry Standards Government Qualified	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



SPLICE IS 1600-4100 .0126 BR



SPLICE 14000-30000 .030 BR







TE Model / Part # 2-2151546-1 OCEAN_2.0_APPLICATOR-S-110F




TE Model / Part # 2-2151546-2 OCEAN_2.0_APPLICATOR-S-110FA



TE Model / Part # 2151546-2 OCEAN_2.0_APPLICATOR-S-110FA



Also in the Series | SPLICE








Customers Also Bought







TE Model / Part #1-520935-1 PL 250 HOUSING REC NAT 6/6 NYLON V0




TE Model / Part #61769-1 SPLICE 1200-2600 .020 BR



TE Model / Part #63537-2 FASTON .250 RECEPTACLE 18-14 AWG TPBR



TE Model / Part #42722-1
RING TONGUE 12-10 AWG BR




TE Model / Part #485043-1 SPLICE 4000-9000 .020 BR



TE Model / Part #61795-3 RING 18-14 AWG TPBR



TE Model / Part #63625-1 SPLICE 5000-16000 .025 BR



TE Model / Part #63306-1 FASTON 250 REC 18-14 AWG BR



TE Model / Part #521368-2 ULTRA-POD 250 ASSY REC 22-18 AWG TPBR

Documents

Product Drawings

SPLICE REC. 1500-5000 .020 BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_63130-2_AD.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63130-2_AD.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63130-2_AD.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications



Application Specification

English

Product Environmental Compliance

MD_63130-2_11162018855_dmtec

English

MD_63130-2_11162018855_dmtec

English

Agency Approvals

CSA Certificate

English

CSA Certificate

English