

PRODUCT SPECIFICATION

| | |
|-------------------------|----------------|
| Brand | KASP |
| Product Range | Steel padlocks |
| Catalogue number | 180 |
| Date | 18/01/2008 |

| | | | | |
|--|---|--|----------------|------------|
| <p>Range Description Open and Close shackle steel padlocks</p> | |  | | |
| <p>Features</p> <ul style="list-style-type: none"> • Hardened steel shackle – extra protection from hacksaw and cropping attacks • Double ball bearing locking mechanism – extra strength to resist torsion and pull attacks • Chrome plated steel body – extra strength & resistance to corrosion • 5 Pin cylinder featuring paracentric keyway and anti pick mushroom pins for extra protection against picking • The close shackle version offers additional shackle protection to resist shackle attack • Weather rating: 2 <p>Both padlocks are supplied display packed, in sealed blister packs.</p> <p>2 Keys are supplied with each padlock</p> | | | | |
| Item Number | Item Description | EAN No | Commodity code | Carton Qty |
| K18060D | Steel Padlock 60mm – display packed | 5013969901139 | 83011000 | 3 |
| K18060XD | Steel Padlock 60mm Close Shackle – display packed | 5013969901146 | 83011000 | 3 |

| | | | | |
|-----------|---|---------------|----------|-----|
| K18060KB | Key Blank for 180 Series | 5013969902075 | 83017000 | 100 |
| K18060 | Steel Padlock 60mm – boxed | 5013969902990 | 83017000 | 3 |
| K18060X | Steel Padlock 60mm Close Shackle – boxed | 5013969903010 | 83017000 | 3 |
| K18060KA | Steel Padlock 60mm Keyed alike – boxed | 5013969903003 | 83017000 | 1 |
| K18060XKA | Steel Padlock 60mm Close Shackle Keyed alike – boxed | 5013969903027 | 83017000 | 1 |
| K16080MK | Steel Padlock 60mm Master keyed – boxed | 5013969903041 | 83017000 | 1 |
| K16080XMK | Steel Padlock 60mm Close Shackle Master keyed – boxed | 5013969903058 | 83017000 | 1 |

| <p>Technical product information</p> | <p>Body - Steel, Chrome plated</p> <p>Shackle- Hardened steel, Chrome plated</p> <p>Locking mechanism- Pin tumbler cylinder type, 5 pin cylinder, Brass pins – Driver pin 5 is plain, driver pins 1 to 4 are mushroom type.</p> <p>Key differs- 1988</p> <p>Re-keyable – Yes</p> <p>Security rating:</p> <table border="1" data-bbox="490 949 878 1087"> <thead> <tr> <th>Type</th> <th>Security rating</th> </tr> </thead> <tbody> <tr> <td>K18060</td> <td>11</td> </tr> <tr> <td>K18060X</td> <td>13</td> </tr> </tbody> </table> <p>Shackle Dimensions:</p> <table border="1" data-bbox="490 1199 1216 1386"> <thead> <tr> <th rowspan="2">Dimensions mm</th> <th colspan="3">Shackle</th> <th>Body</th> </tr> <tr> <th>Dia</th> <th>Internal width</th> <th>Internal height</th> <th>Width</th> </tr> </thead> <tbody> <tr> <td>K18060</td> <td>12</td> <td>34</td> <td>28</td> <td>60</td> </tr> <tr> <td>K18060X</td> <td>12</td> <td>35</td> <td>27</td> <td>60</td> </tr> </tbody> </table> <p>Use environment- Normal outdoor use</p> <p>Recommended applications- Garages, Shutters, Vehicles and Site gates</p> | Type | Security rating | K18060 | 11 | K18060X | 13 | Dimensions mm | Shackle | | | Body | Dia | Internal width | Internal height | Width | K18060 | 12 | 34 | 28 | 60 | K18060X | 12 | 35 | 27 | 60 |
|--------------------------------------|--|----------------|-----------------|--------|----|---------|----|---------------|---------|--|--|------|-----|----------------|-----------------|-------|--------|----|----|----|----|---------|----|----|----|----|
| Type | Security rating | | | | | | | | | | | | | | | | | | | | | | | | | |
| K18060 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| K18060X | 13 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dimensions mm | Shackle | | | Body | | | | | | | | | | | | | | | | | | | | | | |
| | Dia | Internal width | Internal height | Width | | | | | | | | | | | | | | | | | | | | | | |
| K18060 | 12 | 34 | 28 | 60 | | | | | | | | | | | | | | | | | | | | | | |
| K18060X | 12 | 35 | 27 | 60 | | | | | | | | | | | | | | | | | | | | | | |
| Standards compliance | None applicable | | | | | | | | | | | | | | | | | | | | | | | | | |
| User health and safety information | None applicable | | | | | | | | | | | | | | | | | | | | | | | | | |
| RoHS/WEEE compliance | This product range does not fall within the scope of RoHS or WEEE regulations | | | | | | | | | | | | | | | | | | | | | | | | | |
| Material safety data | None applicable | | | | | | | | | | | | | | | | | | | | | | | | | |
| Warranty | KASP padlocks are guaranteed against defects in manufacture and/or materials for 10 years Damage caused through inappropriate use or attempted break in is not | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|-------------------|---------|
| | covered |
| Country of origin | China |

Dimensional details

| Item | Product only | | | | Product on primary packaging | | | |
|-----------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
| | Width mm | Depth mm | Height mm | Net weight g | Width mm | Depth mm | Height mm | Gross weight g |
| K18060D | 60 | 27 | 98 | 628 | 150 | 35 | 190 | 696 |
| K18060XD | 60 | 27 | 98 | 726 | 150 | 35 | 190 | 797 |
| K18060KB | 23 | 3 | 54 | 10 | - | - | - | - |
| K18060 | 60 | 27 | 98 | 628 | 70 | 115 | 40 | 680 |
| K18060X | 60 | 27 | 98 | 726 | 70 | 115 | 40 | 770 |
| K18060KA | 60 | 27 | 98 | 628 | 70 | 115 | 40 | 680 |
| K18060XKA | 60 | 27 | 98 | 726 | 70 | 115 | 40 | 770 |
| K16080MK | 60 | 27 | 98 | 628 | 70 | 115 | 40 | 680 |
| K16080XMK | 60 | 27 | 98 | 726 | 70 | 115 | 40 | 770 |

| Item | Shelf box (secondary packaging) | | | | Euro Pallet data Wi x Hi | |
|-----------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
| | Width mm | Depth mm | Height mm | Gross weight g | No of cartons on base | Number of rows high |
| K18060D | 160 | 270 | 70 | 2177 | | |
| K18060XD | 160 | 270 | 70 | 2480 | | |
| K18060KB | 120 | 120 | 40 | 1061 | | |
| K18060 | 120 | 125 | 85 | 2102 | | |
| K18060X | 120 | 125 | 85 | 2372 | | |
| K18060KA | - | - | - | - | | |
| K18060XKA | - | - | - | - | | |
| K16080MK | - | - | - | - | | |
| K16080XMK | - | - | - | - | | |

Packaging waste details

| Item | Primary Packaging | | | | Secondary packaging | | | |
|-----------|-------------------|---------|--------|--------------|---------------------|-----|--------|-----|
| | Plastic g | Use | Card g | Use | Plastic g | Use | Card g | Use |
| K18060D | 37 | Blister | 8 | Backing card | | | 89 | Box |
| K18060XD | 37 | Blister | 8 | Backing card | | | 89 | Box |
| K18060KB | | | | | 8 | Bag | | |
| K18060 | | | 30 | Box | | | 62 | Box |
| K18060X | | | 30 | Box | | | 62 | Box |
| K18060KA | | | 30 | Box | | | | |
| K18060XKA | | | 30 | Box | | | | |
| K16080MK | | | 30 | Box | | | | |
| K16080XMK | | | 30 | Box | | | | |