

https://www.phoenixcontact.com/gb/products/2809283



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Wiring bridge for modules with connecting pitch 17.5 mm, 4-phase, 8-pos.

### Your advantages

- · In combination with other devices in the distribution board, such as residual current devices and miniature circuit breakers
- · Practical wiring of all common applications
- · For combinations of lightning and surge arresters
- · End covers are used to terminate and insulate individually cut bridges

### **Commercial Data**

Item number	2809283
Packing unit	10 pc
Minimum order quantity	1 pc
Sales Key	CL132Z
Product Key	CL132Z
Catalog Page	Page 61 (C-6-2013)
GTIN	4017918076351
Weight per Piece (including packing)	87.35 g
Weight per Piece (excluding packing)	87.35 g
Customs tariff number	85369095
Country of origin	DE



https://www.phoenixcontact.com/gb/products/2809283



### **Technical Data**


### Product properties

Туре	Comb bridge
Product type	Bridge
Number of positions	8

### Electrical properties

Number of phases	4
Nominal current I <sub>N</sub>	80 A

#### **Dimensions**



### Material specifications

Color	gray
Contact material	E-Cu 58
Housing material	Plastic


2809283


https://www.phoenixcontact.com/gb/products/2809283



## Drawings

Dimensional drawing





2809283

https://www.phoenixcontact.com/gb/products/2809283



## Approvals





Approval ID: RU C-DE.A\*30.B.01742



https://www.phoenixcontact.com/gb/products/2809283



### Classifications

UNSPSC 21.0

### **ECLASS**

	ECLASS-9.0	27371306
	ECLASS-10.0.1	27371306
	ECLASS-11.0	27371306
ETIM		
	ETIM 8.0	EC000215
UN	ISPSC	

39121600

2809283

https://www.phoenixcontact.com/gb/products/2809283



### **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd Halesfield 13, Telford Shropshire, TF7 4PG 01952 681700 info@phoenixcontact.co.uk