

KNIPEX Alligator®

Water Pump Pliers

- ▶ Good access to the workpiece due to slim size of head and joint area
- ▶ More output and comfort compared to conventional water pump pliers of the same length: 9-notch adjustment positioning for 30 % more gripping capacity
- ▶ Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required
- ▶ Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- ▶ Box-joint design for high stability due to double guide
- ▶ Robust construction, insensitive to dirt; particularly suitable for outdoor work
- ▶ Pinch guard prevents operators' fingers being pinched
- ▶ Chrome vanadium electric steel, forged, multi stage oil-hardened
- ▶ DIN ISO 8976

88 02 250 / 88 02 250 T / 88 05 250

- ▶ With slim multi-component grips without collar for better handling and easier transport

88 02 250 T / 88 02 300 T*

- ▶ Pliers with tether attachment point for mounting a fall protection



88 01 180



88 02 250



88 02 250 T



88 02 300



88 02 300 T




88 03 250



88 05 250



88 05 300





Self-locking on pipes and nuts: no slipping on the workpiece; the complete actuating force can be used to turn the workpieces; not having to squeeze the pliers handles reduces the required effort



Conventional water pump pliers

KNIPEX Alligator® 250/300

Specially hardened teeth

high resistance to wear, allowing durable, reliable gripping

Robust adjusting mechanism

insensitive to dirt, particularly suitable for outdoor work

Notch curved adjustment positioning

30 % more gripping capacity, optimised adjustment to the workpiece and a handy handle position, slim design

Box joint, double guide

no loosening of the joint connection, continuous heavy duty

+ 30 %

Article No.	EAN 4003773-	↔ mm		Pliers	Head	Handles	⌀ Inch	⌀ mm	⬡ mm	Adjustment positions	⚖ g
88 01 180	035480	180		black atramentized	polished	with non-slip plastic coating	1 1/2	42	36	9	180
88 01 250	022992	250					2	50	46	9	331
88 01 300	034094	300					2 3/4	70	60	9	511
88 02 180	044222	180		black atramentized	polished	with multi-component grips	1 1/2	42	36	9	210
88 02 300	029151	300					2 3/4	70	60	9	565
88 02 300 T	080183	300		black atramentized	polished	with multi-component grips, with integrated tether attachment point for a tool tether	2 3/4	70	60	9	595
88 02 250	019282	250		black atramentized	polished	with slim multi-component grips	2	50	46	9	347
88 02 250 T	080176	250		black atramentized	polished	with slim multi-component grips, with integrated tether attachment point for a tool tether	2	50	46	9	370
88 03 180	042860	180		chrome plated	chrome plated	with non-slip plastic coating	1 1/2	42	36	9	181
88 03 250	005742	250					2	50	46	9	319
88 03 300	019312	300					2 3/4	70	60	9	499
88 05 180	060130	180		chrome plated	chrome plated	with multi-component grips	1 1/2	42	36	9	210
88 05 300	042389	300					2 3/4	70	60	9	560
88 05 250	035497	250		chrome plated	chrome plated	with slim multi-component grips	2	50	46	9	344
88 06 250	039303	250		chrome plated	chrome plated	insulated with multi-component grips, VDE-tested	2	50	46	9	374
88 07 250	019343	250		chrome plated	chrome plated	with dipped insulation, VDE-tested	2	50	46	9	420
88 07 300	022350	300					2 3/4	70	60	9	661