



Heat Shrink Tubing



Primary Product Color: **Black**

Primary Product Material: **Irradiated Modified Polyolefin**

Heat Shrink Tubing Flammability: **Flame-Retardant**

Packaging Method: **Box**

Operating Temperature Range: **-55 – 80 °C**

Features

Product Type Features

Product Family	RAYRIM
----------------	--------

Body Features

Primary Product Color	Black
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Flexible

Usage Conditions

Shrink Temperature (Min)	120 °C
Heat Shrink Tubing Flammability	Flame-Retardant
Operating Temperature Range	-55 – 80 °C
Heat Shrink Tubing Resistance	Abrasion, Mechanical Damage
Recovery Temperature	150 °C

Product Availability

Applicable Region	Global
-------------------	--------

Packaging Features

Packaging Method	Box
------------------	-----

Other

Meets Low Outgassing Requirements	No
-----------------------------------	----



Product Source

Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CJ2087-000  
[HL2010E-KIT-120V](#)











TE Part # EG1114-000  
[CV1981-ST-230V1600W-EU](#)

Customers Also Bought

RAYRIM-NR7-0-SP

Heat Shrink Tubing, Black, Irradiated Modified Polyolefin, Flame-Retardant, Box,  
Operating Temperature Range -55 – 80 °C



 <p>TE Part #357197-000 202K121-100/86-0</p>	 <p>TE Part #1057780-1 3152 1201 10,TNC FLANGE JACK</p>	 <p>TE Part #31899 TERMINAL,PIDG R 16-14 8</p>	 <p>TE Part #5-1676966-7 SMW2 22R 5%</p>
 <p>TE Part #9410990001 HT-SCE HIGH TEMPERATURE SLEEVES</p>	 <p>TE Part #7574444009 RAYRIM-NR8-0-SP</p>	 <p>TE Part #5108764005 RAYRIM-NR6-0-SP</p>	<p>TE Part #ZPF000000000106824 787-8017-00</p>
<p>TE Part #6026-10-6PN CONN. FREE PLUG.</p>	 <p>TE Part #CQ02683001 55A0811-16-9CK5050</p>		

Documents

Datasheets & Catalog Pages

RAYRIM Pages from 9-1773447-9

English

Application Tooling for Raychem Heat Shrink Product

English

Product Specifications

RAYRIM

English

Global Dimensional Life for RAYCHEM Heat Shrink Tubing Standard Size Products (Customer Distribution)

English